

Procurement of Goods Under National Shopping Procedures

Invitation of Bids For PROCUREMENT OF WOODEN FURNITURES-LIBRARY

Procurement No: UV/F/NCB/01/2024

| The Chairman, |
|---|
| Department Procurement Committee |
| University of Vavuniya, |
| Pambaimadu, |
| Vavuniya. |
| |
| To: |
| |
| |
| ••••••••••••••••••••••••••••••••••••••• |
| |

From:

Section I. Instructions to Vendors (ITV)

| A: General | | |
|-----------------|---|--|
| 1. Scope of Bid | 1.1The Purchaser named in the Data Sheet invites you to submit a | |
| | quotation for the supply of Goods as specified in Section III | |
| | Schedule of Requirements. Upon receipt of this invitation, you are | |
| | requested to acknowledge the receipt of this invitation and your | |
| | intention to submit a quotation. The Purchaser may not consider | |
| | you for inviting quotations in the future, if you failed to | |
| | acknowledge the receipt of this invitation or not submitting a | |
| | quotation after expressing the intention as above. | |
| | B: Contents of Documents | |
| 2. Contents of | 2.1 The documents consist of the Sections indicated below. | |
| Documents | Section I: Instructions to Vendors (ITV) | |
| | Section II: Data Sheet | |
| | • Section III: Schedule of Requirements | |
| | SectionIV:TechnicalSpecifications & Compliance with Specifications Section V: Quotation submission Form(s) | |
| | Section V. Quotation submission Form(s) Section VI: Standard Forms | |
| | C: Preparation of Quotation | |
| 3.Documents | 3.1 The Quotation shall comprise the following: | |
| Comprising your | (a) Quotation Submission Form and the Price Schedules; | |
| Quotation | (b) Technical Specifications and Compliance with Specifications. | |
| 4. Quotation | 4.1The vendor shall submit the Quotation Submission Form using the | |
| | form furnished in Section V. This form must be completed without | |
| | any alterations to its format, and no substitutes shall be accepted. | |
| | All blank spaces shall be filled in with the information requested. | |
| | 4.2 Alternative offers shall not be considered. The vendors are advised | |
| | not to quote different options for the same item but furnish the most | |
| | competitive among the options available to the bidder. | |
| 5.Prices and | 5.1Unless specifically stated in Data Sheet, all items must be priced | |
| Discounts | separately in the Price Schedules. | |
| | 5.2 The price to be quoted in the Quotation Submission Form shall be | |
| | the total price of the Quotation, including any discounts offered. | |
| | 5.3 The applicable VAT shall be indicated separately. | |
| | 5.4 Prices quoted by the vendor shall be fixed during the vendor's | |
| | performance of the Contract and not subject to variation on any | |
| | account. A bid submitted with an adjustable price shall be treated as | |
| | non-responsive may rejected. | |
| | 1 , | |

| 6. Currency | 6.1 The vendors shall quote only in Sri Lanka Rupees. | | |
|-----------------------|--|--|--|
| 7. Documents to | 7.1 The vendor shall furnish as part of its quotation the documentary | | |
| Establish the | evidence that the Goods conform to the technical specifications and | | |
| Conformity of | - | | |
| the Goods | standards specified in Section IV, "Technical Specifications | | |
| | &Compliance with Specifications". | | |
| | 7.2 The documentary evidence may be in the form of literature, drawings or data and shall consist of a detailed item by item description of the essential, technical and performance characteristics of the Goods, demonstrating substantial responsiveness of the Goods to the technical specifications, and if applicable, a statement of deviations and exceptions to the provisions of the Technical Specifications given. 7.3 If stated in the Data Sheet the vendor shall submit a certificate from the manufacturer to demonstrate that it has been duly authorized by the manufacturer or producer of the Goods to supply these Goods in Sri Lanka. | | |
| | C12 | | |
| 8. Period of | 8.1 Quotations shall remain valid for the period of sixty (60) days after | | |
| Validity of | the quotation submission deadline date. | | |
| quotation | the quotation such issues actuallite date. | | |
| 9. Format and | 9.1 The quotation shall be typed or written in indelible ink and shall be | | |
| Signing of | signed by the vendor or by a person duly authorized to sign on | | |
| Quotation | | | |
| benan of the vention. | | | |
| | D: Submission and Opening of Quotation | | |
| 10. Submission of | 10.1 Vendors may submit their quotations by post or by hand in sealed | | |
| Quotation | envelope addressed to the Purchaser bearing the specific | | |
| ~ | identification of the contract number. | | |
| | | | |
| | 10.2. If the quotation is not sealed and marked as required, the | | |
| | Purchaser will assume no responsibility for the misplacement or | | |
| | premature opening of the quotation. | | |
| | 10.3 All the bids should be accompanied by a bid security as specified in the Data Sheet. Quotations without the valid bid security will be rejected. | | |
| | 10.4 Unregistered Suppliers with the University of Vavuniya can also | | |
| | participate to the bid, subject to provide business registration | | |
| | certificate along with the quotation. | | |
| | certificate along with the quotation. | | |
| 11. Deadline for | 11.1Quotation must be received by the Purchaser at the address set out | | |
| | 2.10 miles and and an arrangement of the second of the sec | | |

| in Section II, "Data Sheet", and no later than the date and time as | | | |
|---|--|--|--|
| specified in the Data Sheet. | | | |
| 12.1The Purchaser shall reject any quotation that arrives after the | | | |
| deadline for submission of quotations, in accordance with ITV | | | |
| Clause 11.1 above. | | | |
| 13.1The Purchaser shall conduct the opening of quotation in public at | | | |
| The address, date and time specified in the Data Sheet. | | | |
| and a substitution of control and a | | | |
| 13.2. A representative of the bidders with their identification may be | | | |
| present and mark his attendance. | | | |
| 14.1To assist in the examination, evaluation and comparison of the | | | |
| quotations, the Purchaser may, at its discretion, ask any vendor | | | |
| for a clarification of its quotation. Any clarification submitted by | | | |
| a vendor in respect to its quotation which is not in response to a | | | |
| request by the Purchaser shall not be considered. | | | |
| 14.2 The Purchaser's request for clarification and the response shall be | | | |
| in written. | | | |
| 15.1The Purchaser will determine the responsiveness of the quotation | | | |
| to the documents based on the contents of the quotation received. | | | |
| | | | |
| 15.2 If a quotation is evaluated as not substantially responsive to the | | | |
| documents issued, it may be rejected by the Purchaser. | | | |
| 16.1The Purchaser shall evaluate quotation by each item (100%) | | | |
| required quantity) that has been determined, to be substantially | | | |
| responsive. | | | |
| 16.2. To evaluate a quotation, the Purchaser may consider the | | | |
| following: | | | |
| (a)the Price as quoted; | | | |
| (b) price adjustment for correction of arithmetical errors; | | | |
| (a) Price adjustment due to discounts offered. | | | |
| 16.3 The Purchaser's evaluation of a quotation may require the | | | |
| consideration of other factors, in addition to the Price quoted if | | | |
| stated in Section II, Data Sheet. These factors may be related to the | | | |
| characteristics, performance, and terms and conditions of purchase | | | |
| of the Goods. | | | |
| 16.4 The Chairman, Department Procurement Committee (DPC), | | | |
| University of Vavuniya, shall have the right to accept or reject any | | | |
| bid and at his discretion either to increase or decrease by 25% of | | | |
| | | | |

| | the actual quantity to be purchased. | | | |
|--|--|--|--|--|
| 17. Purchaser's | 17.1 The Purchaser reserves the right to accept or reject any quotation, | | | |
| Right to Accept | and to annul the process and reject all quotations at any time prior | | | |
| any Quotation, | to acceptance, without thereby incurring any liability to bidders. | | | |
| and to Reject any | 1 , 1 1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 | | | |
| or all Quotations | | | | |
| | F: Award of Contract | | | |
| 18. Acceptance 18.1The Purchaser will accept the prices of the items from the | | | | |
| of the Quotation | of the vendor whose offer has been determined to be evaluated bid | | | |
| | based on the price, quantity & other condition. | | | |
| 19. Notification of | 19.1Prior to the expiration of the period of validity of quotation, the | | | |
| acceptance | Purchaser will notify the successful vendor, in writing, that the bid | | | |
| | has been accepted. | | | |
| 20. Performance Security | 20.1 Amount of Performance Security required is 10% of the Initial Contract Price. | | | |
| | 20.2 Performance security shall be issued by an agency acceptable to Employer using the form for Performance Security (unconditional on demand guarantee) included in this document. This deposit can be made by way of a bank guarantee valued for 90 days. 20.3 The agency acceptable to Employer is a Licensed Commercial bank operating in Sri Lanka. | | | |
| 21. Liquidated Damages | 21.1 If the Supplier fails to deliver part or all of the Goods or perform the Related Services within the given period as specified in the Contract, the Purchaser may deduct a sum equivalent to 0.05 % per day of the price of the delayed supply or unperformed Services from the Contract Price, as liquidated damages,. Maximum deduction of the percentage is 10% of the contract value and once the maximum is reached, the Purchaser may | | | |
| | terminate the Contract. | | | |
| 22. Payment | 22.1 No transport charges will be made. 22.2 Payment will be made after supplying and installing of the items according to the specifications and other conditions stipulated in the bidding document. 22.3 1st Installment: 90% of the contract value shall be paid after inspection and the satisfactory completed and supply of other items in the Procurement Notice. 2nd and last Installment: The balance 10% of the contract value shall be paid after expiry of sixty days. Payment will be made by cheque drawn in favour of the Business name of the bidder with "Account Payee only" Crossing | | | |

Section II: Data Sheet

| ITV Clause Reference | | | | |
|-------------------------|--|--|--|--|
| 1.1 | The Purchaser is: -The Chairman, Department Procurement Committee, University of Vavuniya. Address: -Pambaimadu, Vavuniya. | | | |
| 7.3 | Manufacture's Authorization is required as attached format. | | | |
| 10.3 | Bid security shall be Issued by an agency acceptable to Employer using the form for bid security (unconditional on demand guarantee) included in the bid document for 120 days. For an amount given below: Bid security amount (Rs.) | | | |
| | Wooden Furnitures- Library Rs. 150,000.00 • The agencies acceptable to Employer is a Licensed Commercial bank operating in Sri Lanka; or Instead of Guarantee, Cash deposit at Shroff counter, University of Vavuniya is acceptable. | | | |
| 11.1 | Address for submission of Quotations is: The Chairman, Department of Procurement Committee, University of Vavuniya, Pambaimadu, Vavuniya. Bids should be submitted in duplicate and in separate envelopes. Both envelops should be enclosed in one and securely sealed cover and the following words should be clearly written on the top left-hand corner of the envelopes in which the bids are enclosed as appropriate "Procurement of Wooden Furnitures - Library UV/F/NCB/01/2024 – 14th October, 2024 at 2.00 pm." Deadline for submission of quotations is: 14th October, 2024 at 2.00 pm. | | | |
| 013 | The quotations shall be opened at the following address: 14th October, 2022 at 2.00 pm. The Board Room, University of Vavuniya, Pambaimadu, Vavuniya. The items should be delivered to the following address: University of Vavuniya, Mannar Road, Pambaimadu. T. Phone No. 0242220299 | | | |
| 16.1 | Other factors that will be considered for evaluation are: i) Required specification ii) Warranty period if any iii) After sales service if applicable iv) Experience in relevant business/Field | | | |

Section III: Schedule of Requirements

| | | | | Final Destination | Delive | ry Date |
|------------|------------------------|-----|------|--|---|----------------------|
| Item No | Description of Goods | | Unit | Fi Desti | Latest Delivery Period | Bidder's Response |
| 01 | Reference Chair | 150 | Nos | f e | e contract | |
| 02 | Reference Table | 50 | Nos | ty of Vavuniya Road, madu. | of award of the | |
| 03 | Bookshelf (Wooden) | 50 | Nos | Library University of Vavuniya, Mannar Road, Pambaimadu. | 10 weeks from the date of award of the contract | |
| 04 | Wooden Reception Table | 01 | Nos | l rit | 10 weeks fi | |


| Signature of the Bidder: | |
|--------------------------|---------------|
| Name of the Bidder | |
| TP No. | |
| Date: | Rubber Stamp: |

Section IV: Technical Specification & Compliance

University of Vavuniya, Sri Lanka.

Technical Specification for "Reference Chair"


Qty. Required – 150



| Required Quantity | 150 Numbers | |
|-------------------|--|--|
| Material | Teak timber -should be a hardwood -should well-seasoned -should have high strength capacity -should be durable | |
| Dimension | Refer the drawing UOV- 2024 -004 | |
| Fabrication | Seat Should be knitted with high quality durable plastic wire (refer the drawing) Back rest Timber strips fixed vertically and aligned to be in a mild curved plane (refer the drawing) Joints -Mortise and tenon type joint is preferred in chairBut doweled or screwed joints can be used in necessary places -the joints should be tight fitting -the joints should be glued carefully without any glue showing -nailing or stapling of nail should not be done -wood plugs or wood filler paste should be used to hide the screw heads | |
| Sturdiness | -corner iron support can be provided to increase the sturdiness tips on the ends of the chair legs should be covered with vinyl or rubber or silicon to provide grip and avoid damages to the floor - chair legs should level with the floor the chair shouldn't sway back and forth or creak when sit on it | |
| Finishing | -Should be finished with minimum one coating of wood primer and two coats of varnish -varnishing should be done uniformly -should be smooth and free from rough spots -the edges and ends should be finished evenly throughout without finger marks or tear-drops -should be finished and varnished on the back and underside -all the components should be free from sharp edges and sharp corners | |


University of Vavuniya, Sri Lanka. Technical Specification for "Reference Table"

Qty. Required – 50



| Required Quantity | 50 Numbers |
|-------------------|---|
| Material | Teak timber -should be a hardwood should well-seasoned -should have high strength capacity -should be durable |
| Dimension | Refer the drawing |
| Fabrication | Joints -Appropriate joints should be used for the table fabrication (extongue and groove, rabbeted and butted, mortise and tenon, doweled, screwed, bolted etc.) -the joints should be tight fitting -the joints should be glued carefully without any glue showing -nailing or stapling of nail should not be done -wood plugs or wood filler paste should be used to hide the screw heads |
| Sturdiness | - Table legs should level with the floor - the table shouldn't sway or creak when using it |
| Finishing | -Top of the table should be flat in horizontal plane and free from any curves and patches -Should be finished with minimum one coating of wood primer and two coats of varnish -varnishing should be done uniformly -should be smooth and free from rough spots the edges and ends should be finished evenly throughout without finger marks or tear-drops - should be finished and varnished on the back and underside -all the components should be free from sharp edges and sharp corners |


Qty. Required – 50



| Required Quantity | 50 Numbers |
|-------------------|---|
| Material | Teak timber -should be a hardwood -should well-seasoned -should have high strength capacity should be durable |
| Dimension | Refer the drawing UOV -2024- 005 |
| Fabrication | Joints -Appropriate joints should be used for the fabrication (extongue and groove, rabbeted and butted, mortise and tenon, doweled, screwed, bolted etc.) -the joints should be tight fitting -the joints should be glued carefully without any glue showing -nailing or stapling of nail should not be done -wood plugs or wood filler paste should be used to hide the screw heads |
| Sturdiness | Book Shelves' bottom should level with the floor Book Shelves shouldn't sway or creak when using it |
| Finishing | -All Book shelves' decks (plates) should be flat in horizontal plane and free from any curves and patches -Should be finished with minimum one coating of wood primer and two coats of varnish -varnishing should be done uniformly -should be smooth and free from rough spots the edges and ends should be finished evenly throughout without finger marks or tear-drops - should be finished and varnished on the back and underside -all the components should be free from sharp edges and sharp corners |

University of Vavuniya, Sri Lanka. Technical Specification for "Wooden Reception Table"

Qty. Required – 01



| Material | Teak timber -should be a hardwood -should well-seasoned -should have high strength capacity -should be durable Glass -should be tempered clear glass -should be free from sharp edges -Corners and edges should be tapered |
|-------------|---|
| Dimension | Refer the drawing |
| Fabrication | Joints -Appropriate joints should be used for the table fabrication (extongue and groove, rabbeted and butted, mortise and tenon, doweled, screwed, bolted etc.) -the joints should be tight fitting -the joints should be glued carefully without any glue showing -nailing or stapling of nail should not be done -wood plugs or wood filler paste should be used to hide the screw heads |
| Sturdiness | - Table legs should level with the floor - the table shouldn't sway or creak when using it |
| Finishing | -Top of the table should be flat in horizontal plane and free from any curves and patches -Should be finished with minimum one coating of wood primer and two coats of varnish -varnishing should be done uniformly -should be smooth and free from rough spots - the edges and ends should be finished evenly throughout without finger marks or tear-drops - should be finished and varnished on the back and underside -all the components should be free from sharp edges and sharp corners |

Section V Quotation Submission Form

[The Vendor shall fill in this Form in accordance with the instructions indicated No alterations to its format shall be permitted and no substitutions will have accepted.]

| Date: | |
|--|----|
| To: University of Vavuniya. | |
| We, the undersigned, declare that: | |
| (a) We have examined and have no reservations to the document issued; | |
| (b) We offer to supply in conformity with the documents issued and in accordance with the Delivery Schedules specified in the Schedule of Requirements the following Good | |
| [Insert a brief description of the Goods]; | |
| (c) The total price of our quotation including any discounts offered is: | |
| [Insert the total quoted price in words and figure] | |
| (d) Our quotation shall be valid for the period of time specified in ITV Sub-Clause 8.1, from the date fixed for the quotation submission deadline in accordance with ITV Sub-Clause 11.1, and it shall remain binding upon us and may be accepted at any time before the expiration of that period; | se |
| (e) We understand that this quotation, together with your written acceptance thereo included in your notification of award, shall constitute a binding contract between us. | of |
| (f) We understand that you are not bound to accept the lowest evaluated quotation or an other quotation that you may receive. | ıy |
| Signed: [Insert signature of person whose name and capacity are shown] | |
| Name: | |

Price Schedule

| No | Description of Goods | 1 | 2 | 3 | 4 | 5 |
|----|---------------------------|--------------|------------|-----|----------------------|----------------|
| | | Qty (Nos) | Unit Price | VAT | Price with VAT (2+3) | Total (1x4) |
| 01 | Reference Chair | 150 | | | | |
| 02 | Reference Table | 50 | | | | |
| 03 | Bookshelf (Wooden) | 50 | | | | |
| 04 | Wooden Reception Table | 01 | | | | |
| | | | | | | |

VAT Registration Number if any

| We agree to supply the above goods in accordance with the technical specifications for a total |
|--|
| contract price of Rupees (Amount in Figures) |
| (Am |
| ount in words) within the period specified in the Invitation for Bids. |
| |
| We also confirm that the warrantee/guarantee specified shall apply to the offered goods. |
| |
| Company Name: Signature: |
| Name of the authorized person: Date: |
| • |
| Address: |
| |
| |

SectionVI

StandardForms Form of Performance Security (Unconditional)

| Issuing Agency: | | | | | | | |
|---|---|----------------------|----------|---------|-------------------------------|----------------|--------------------------|
| Branch or Office] | [Issuing | Agency's | Name | and | Address | of 1 | ssuing |
| Beneficiary: "The Chairman, Departi University of Vavuniya. Pambaimadu, Vavuniya. | ment of P | Procureme | nt Com | mitte | e" | | |
| Date: | | | | | | | |
| PERFORMANCE GUARANTEE No: | | | | | | | |
| We have been informed that Contractor] (Hereinafter called "the | e Contra | ctor") ha | s ente | red | into Co | ntract h yo | No. |
| Furthermore, we understand that, according guarantee is required. | ding to th | e condition | ns of th | e Con | ntract, a p | erfor | mance |
| At the request of the Contractor, we Agency] hereby irrevocably undertake to amount of | o pay you in words] s of your ctor is in b | any sum (first dema | or sums | s not e | exceedingg accomp) under the | g in to | otal an) l by a ontract, |
| This guarantee shall expire, no later than days beyond the intended date of Compareceived by us at this office on or before | letion] and | - | | | - | | |
| [Signature(s)] | | | | | | | |

Form of Bid Security

| [This Guarantee form shall be filled in accordance with the instructions indicated in brackets] Issuing Agency: | | | | | |
|--|--|--|--|--|--|
| [insert issuing agency's name and address of Issuing branch or Office] | | | | | |
| Beneficiary: "The Chairman, Department of Procurement Committee" University of Vavuniya, Pambaimadu, Vavuniya. | | | | | |
| Date: [insert (by issuing agency) date] | | | | | |
| BID GURANTEE No: [insert (by issuing agency) number] | | | | | |
| We have been informed that | | | | | |
| Furthermore, we understand that, according to the conditions, Bids must be supported by a Bid Guarantee. | | | | | |
| At the request of the Bidder, we | | | | | |
| | | | | | |
| a) Has withdrawn its Bid during the period of bid validity specified; or | | | | | |
| b) does not accept the correction of errors in accordance with the Instructions to Bidders(hereinafter "the ITB"); or | | | | | |
| c) having been notified of the acceptance of its Bid by the Employer during the period of bid validity, (i) fails or refuses to execute the Contract Form, if required, or (ii) fails or refuse to furnish the Performance Security, in accordance with the ITB. | | | | | |
| This guarantee will remain in force up to | | | | | |
| Consequently, any demand for payment under this Guarantee must be received by us at the office on or before that date. | | | | | |
| [Signature(s) of authorized representative(s)] | | | | | |

Manufacturer's Authorization

[If requested under ITV clause 7.3, the Bidder shall require the Manufacturer to fill in this Form in accordance with the instructions indicated.]

Date:

| WHEREAS | | | |
|------------------------------|--------------------------|----------------------|--|
| | | - | name of Manufacturer], who are |
| | | | [insert type of goods |
| - : | • | | [insert full |
| | | | do hereby authorize name of Bidder] to submit a |
| - | - | • | ing Goods, manufactured by us brief description of the Goods], |
| and to subsequent | y negotiate and supply | the goods. | - |
| We hereby extend above firm. | our full guarantee and | l warranty, with res | spect to the Goods offered by the |
| Signed: | | | |
| |) of authorized represen | | nufacturer] |
| Name: | | | |
| | ame(s) of authorized re | | e Manufacturer] |
| Title: | | | |
| [Insert title] | | | |
| Duly authorized to | sign this Authorization | on behalf of: | |
| [Insert complete n | ame of Bidder] | | |
| Dated on | day of | | [insert date of signing] |